APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS



Fig 1

APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

Fig 2A



Fig 2B



Fig 2C



Fig 2D



Fig 2E



Fig 2F



Fig 2G



Fig 2H

APPROVED BY DRAFTSMAN | O.G. FIG. CLASS | SUBCLASS



Fig 3A



Fig 3B

APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

Fig 4A



APPROVED BY DRAFTSMAN | O.G. FIG. CLASS | SUBCLASS



Fig 4B

SUBSTITUTE SHEET (RULE 26)

APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

RHN FORMAT



Fig 5A



Fig 5B



Fig 5C

APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS



Fig 6

APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS



Fig 7

APPROVED BY DRAFTSMAN | O.G. FIG. CLASS | SUBCLASS



Fig 8A

APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS



Fig 8B

APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS

Fig 9



APPROVED BY DRAFTSMAN | O.G. FIG. | CLASS | SUBCLASS



Fig 10

APPROVED BY DRAFTSMAN | O.G. FIG. CLASS | SUBCLASS

1100

```
// N=3, W=8
unsigned char encodeTable[ ] =
{
      5, 0, 7, 4, 2, 3, 6, 1
};
```

Fig 11A

1110

```
// N=3, U=5
int decodeTable[ ] =
{
      0xff << 24 | 1 << (16+U) | 1 << (8+U) | 1 << U, // 0 → 1
      0xff << 24 | 7 << (16+U) | 7 << (8+U) | 7 << U, // 1 → 7
      0xff << 24 | 4 << (16+U) | 4 << (8+U) | 4 << U, // 2 → 4
      0xff << 24 | 5 << (16+U) | 5 << (8+U) | 5 << U, // 3 → 5
      0xff << 24 | 3 << (16+U) | 3 << (8+U) | 3 << U, // 4 → 3
      0xff << 24 | 0 << (16+U) | 0 << (8+U) | 0 << U, // 5 → 0
      0xff << 24 | 6 << (16+U) | 6 << (8+U) | 6 << U, // 6 → 6
      0xff << 24 | 2 << (16+U) | 2 << (8+U) | 2 << U  // 7 → 2
};
```

Fig 11B